




CHANNEL LETTER WITH SPONGE AND PVC

Best Channel letter material solution | Double Side folded with pvc and sponge



Four guarantees



Factory direct delivery



Complete stock



Custom specifications



Professional team

[channelume]

Precise measurement

VARIOUS SIZES AVAILABLE



ACTUAL SIZE IN LENGTH,WIDTHAND THICKNESS,
DO NOT DECEIVE CONSUMERS



Product details



EVERY DETAIL
THEY ARE ALL SINCERE WORKS



Suitable alloy

Using 1000 and 3000 series aluminum alloys which has high ductility and flexibility, high corrosion resistance and high durability



Top edge PVC

Using rigid PVC film that increases the adhesion of acrylic to the body of the material that causes a stronger and more durable final product.




Strong color coating


Our color coated aluminum coils are mainly poly-ester coating and fluorocarbon coating, with a thickness more than 24 micron on surface and more than 18 micron on backside.

Sponge Foam

PREVENT FROM DUST PENTERATION



Product information



Parameters that



Product name: Channelume

Width: 5cm,7cm,9cm,11cm

Thickness: 0.4mm,0.5mm

Length: 50m

Colour: White / Black / Red / Green / Blue / Yellow / Silver Gold
Mirror Silver / Mirror gold / Brushed Silver
Brushed Gold / Brushed rose gold

Color display




STRONG COLOR COATING




Red



White



Black




Blue



Yellow



Gold



Sliver



Green



Apple Green

Product display



EVERY DETAIL
THEY ARE ALL SINCERE WORKS



[channelume]

How to bend?

BENDABLE MANUALLY OR BY MACHINE



1.Channelume materials are bendable
by Automatic Bending machine



OR


2.Manual bending




Installation process




Inner support installation:




1. Stick double-sided adhesive tape on the lining plate on the back of the text



2. Use double-sided tape to fix the text with aluminum-plastic plate



3. Stick double-sided adhesive tape on the lining plate on the back of the text



4. Use a glass glue gun to apply glass glue along the edge of the word

External foot installation

