
HT-6414-2835

INJECTION MODULE

180 LUMEN High brightness High development color



SIX FEATURES

CREATE EACH MODULE WITH HEART



SAFETY EYE PROTECTION



HIGHLIGHT LIGHT SOURCE



HIGH QUALITY LED



OPTICAL LENS



HIGH DEVELOPMENT COLOR



LONG LASTING

Four guarantees

Strong strength is worth choosing





Source manufacturer



Spot delivery



Quality assurance



Professional team

HT-6414-2835

• 100% copper Wire • 180 LUMEN • Power:1.5Watt



Product details

Detail determines quality



Optical lens

With good chips and bright light beads, the lighting effect is good and the service life is long

Integrated injection molding waterproof

Waterproof, rainproof, snow proof, frost resistant, and can be used in extreme weather




E FOAM M PE FOAM M PE FOAM M PE FOAM AND PE

3M back glue

Full cover 3m adhesive tape with excellent performance


100% copper wires

Thick galvanized copper core wire, not easy to oxidize, long service life and greatly improved conductivity




Principle of optical refraction

Lens LED chip, better focusing performance, more stable light source



PRODUCT INFORMATION



Product model: HT-6414-2835

Power: 1.5W

Luminous angle: 160°


Guarantee: 3Year


Shell: 100% Pure ABS

Adhesive Tape: full cover PET tape (6 cm width)


Product display


Detail determines quality





Installation diagram





Simple and convenient installation

Cascade 20pcs adopts electrical adhesive tape or wire head to insulate the tail end wire head to prevent short circuit

Case display area

