

PRODUCT

# DATA SHEET



Bending  
Cutting  
Welding  
Marking

2024-2025

HIGHTECH INDUSTRY GROUP

BUILD . TO LEAD .

# HT FWT

## FIBER LASER TABLE WELDING MACHINE

T-SERIES



### Special Design for Channel Letters

Engineered specifically for aluminum, stainless steel, and galvanized channel letters, delivering perfect seams even on complex fonts and tight corners. Optimized table structure ensures stable positioning and effortless operation for signage professionals.

### Strong, Clean & Gap-Free Welding

Produces strong, clean, and durable welds with zero gaps. Dual-oscillation technology guarantees smooth, aesthetic results on thin and thick materials alike, minimizing post-processing and ensuring consistent letter quality..

**No Gas, No Wire & Zero**  
Requires no welding wire and no special gas for most signage applications—reducing operational cost. Simple operation system allows even users with zero welding experience to achieve professional, high-precision welds from day one.



## MAX MFSC LASER

THE MAX MFSC LASER IS A COMPACT, HIGH ELECTRO-OPTICAL CONVERSION EFFICIENCY, AND STABLE FIBER LASER. THE PRODUCT FEATURES ADVANCED OPTOELECTRONIC DESIGN, OFFERING ADVANTAGES SUCH AS EXCELLENT WELDING RESULTS AND COMPATIBILITY WITH VARIOUS BUS SYSTEMS.

IT IS WIDELY USED IN LASER WELDING, LASER CLADDING, LASER BRAZING, AND LASER SURFACE HEAT TREATMENT, AMONG OTHER APPLICATIONS.

## PARAMETER SYSTEM

PRECISE PARAMETER CONTROL: THE INTERFACE OFFERS VARIOUS ADJUSTABLE SETTINGS, SUCH AS LASER POWER, FREQUENCY, AND PULSE TIME, ALLOWING OPERATORS TO FINE-TUNE THE MACHINE BASED ON MATERIAL AND WELDING REQUIREMENTS FOR OPTIMAL RESULTS.

USER-FRIENDLY INTERFACE: THE SIMPLE AND INTUITIVE DISPLAY ENABLES EASY ADJUSTMENTS VIA THE TOUCHSCREEN, COMPLEMENTED BY PHYSICAL BUTTONS FOR QUICK CONTROL. THIS DESIGN ENHANCES USER EXPERIENCE, STREAMLINING OPERATIONS AND REDUCING THE LIKELIHOOD OF ERRORS.



# PARTS



## CHILLER SYSTEM

CUSTOM-DESIGNED CHILLERS IN WELDING MACHINES PROVIDE HIGH COOLING CAPACITY, ENSURING STABLE OPERATION DURING EXTENDED WELDING SESSIONS. THEY PREVENT OVERHEATING AND MAINTAIN CONSISTENT WELD QUALITY.

TAILORED FOR ENERGY EFFICIENCY AND DURABILITY, THESE CHILLERS HANDLE HARSH ENVIRONMENTS, REDUCING MAINTENANCE NEEDS AND EXTENDING OPERATIONAL LIFE. THIS RESULTS IN INCREASED PRODUCTIVITY AND REDUCED DOWNTIME.



## CCD CAMERA SYSTEM

THE MACHINE COMES STANDARD WITH A CCD CAMERA SYSTEM, FEATURING 10X MAGNIFICATION, CROSSHAIR POSITIONING, AND RED LIGHT POSITIONING, OFFERING A MORE USER-FRIENDLY EXPERIENCE.

CCD CAMERAS ARE DURABLE AND RELIABLE, CAPABLE OF WITHSTANDING HARSH INDUSTRIAL CONDITIONS.

# PARTS

## MODE ADJUSTMENT SYSTEM

THE SYSTEM OFFERS VARIOUS MODE ADJUSTMENTS (E.G., CIRCULAR, TRIANGULAR, ETC.), ENSURING THE WELD SEAM IS AESTHETICALLY PLEASING, SMOOTH, AND HIGHLY DURABLE.

IT IS WIDELY USED FOR PRECISION WELDING OF METALS SUCH AS ALUMINUM PLATES, ALUMINUM PROFILES, GALVANIZED SHEETS, IRON PLATES, STAINLESS STEEL, AND TITANIUM PLATES.



## FOLDABLE DUAL WINGS

THE FOLDABLE DUAL-WING DESIGN OF THE WELDING TABLE OFFERS A FLEXIBLE FOOTPRINT, EXPANDING WHEN NEEDED AND FOLDING FOR SPACE-SAVING WHEN NOT IN USE. IT ALSO HAS A COMPACT TRANSPORT SIZE, MAKING IT EASY TO MOVE AND STORE, IDEAL FOR LIMITED OR FREQUENTLY CHANGING WORKSPACES.



# Technical Parameters

<b>Laser Power</b>	1500W/2000W
<b>Working Size-Wings Extended</b>	200*160*119cm
<b>Working Size-Wings Folded</b>	96*160*119cm
<b>Packing Size</b>	175*112*142cm
<b>Packing Weight</b>	300KG
<b>Maximum Laser Power</b>	1500W/2000W
<b>Laser Wavelength</b>	1070nm
<b>Laser Type</b>	Continuous
<b>Pulse Width</b>	1-50ms
<b>Continuous Laser Welding Frequency</b>	1-100Hz
<b>Spot Mode</b>	9 options including triangular, circular, etc.
<b>Peak Power</b>	≤6KW
<b>Input Voltage</b>	Single-phase 220V ± 10% 50/60Hz
<b>Laser Stroke</b>	≥200mm
<b>Targeting and Positioning</b>	CCD synchronized HD image + Red light
<b>Applicable Material</b>	Aluminum plates, Galvanized sheets, Stainless steel etc.

## Welding Capacity

<b>Power</b>	<b>Aluminum</b>	<b>Galvanized</b>	<b>Stainless steel</b>
1500w	0.2-3mm	0.2-4mm	0.6-4mm
2000w	0.2-4mm	0.2-6mm	0.6-6mm

# ABOUT US

BUILD . TO LEAD .



Based in Weifang, Shandong, our modern manufacturing base covers over 12,000 m<sup>2</sup> and integrates research, development, production, and testing in one facility – ensuring stability, efficiency, and quality at every stage.

Hightech provides professional installation, training, and lifetime technical support. Our responsive service team and spare-parts centers ensure fast solutions and long-term reliability for every customer.



Equipped with advanced CNC machining centers, laser cutting systems, precision welding equipment, and intelligent assembly lines, Hightech continuously upgrades its technology to meet global industrial standards.



Driven by passion and professionalism, our international team of engineers, designers, and sales specialists works together to deliver innovative machines and trusted partnerships worldwide under the Hightech brand.





# CONTACT US



 USA, Hightech Industry INC USA

 Canada, Hightech Industry Canada


 United Kingdom, Hightech Signage Solutions LTD

 Mexico, Hightech Industry operated by Imprime iya

 Iran, Hightech Industry operated by Aluone

 Brazil, Hightech Industry operated by Banner Jet

 India, Mehta Hightech Industries L.L.P

 IRAQ, BAGHDAD, Hightech Industry operated by AL Sabagh

 Dubai, Hightech Blue LLC

 Indonesia, Hightech operated by PT Digital Prima Imaging



 NO. 6188 WEICHANG ROAD, WEICHENG DISTRICT, WEIFANG CITY, SHANDONG PROVINCE, CHINA

 [INFO@HTINDUSTRYCO.COM](mailto:INFO@HTINDUSTRYCO.COM)  [WWW.HTINDUSTRYCO.COM](http://WWW.HTINDUSTRYCO.COM)  +86 156 2166 0575 / +86 156 2166 0576